Aqua Mix® Concentrated Stone & Tile Cleaner

1 Product Name

Aqua Mix® Concentrated Stone & Tile Cleaner

2 Manufacturer

Custom Building Products
Technical Services
10400 Pioneer Boulevard, Unit 3
Santa Fe Springs, CA 90670
Customer Support: 800-272-8786
Technical Services: 800-282-8786

Fax: 800- 200-7765

Email: contactus@cbpmail.net <u>custombuildingproducts.com</u>

3 Product Description

A super-concentrated cleaner formulated for everyday use. This neutral cleaner, when used regularly, prevents soap scum buildup and hard water deposits. The concentrated formula makes up to 128 gallons (484 L). Leaves a room smelling clean and fresh.

Key Features

- Biodegradable formula
- · Ideal for everyday use
- Concentrated 1 quart makes up to 128 gallons
- · Neutral pH formula

Suitable Tile Types

Natural stone (such as granite, limestone, marble, slate, and travertine), ceramic, porcelain, grout, quarry, Saltillo, terra-cotta, cement pavers, masonry surfaces, and other water-safe surfaces.

Benefits of Product in the Installation

- · Removes most common dirt
- Neutral pH

4 Technical Data

Technical Chart

Property	Results
pH	7 (neutral)

Environmental Consideration

Environmental Consideration

Custom® Building Products is committed to environmental responsibility in both products produced and in manufacturing practices. Use of this product may contribute towards LEED® certification:

- Up to 2 points towards MR Credit 5, Regional Materials
- Complies with all Federal, SCAQMD, and CARB standards for VOC's

5 Instructions

Application of Product

USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.



Read entire label before using. Sweep, vacuum, or dust surface. Mix 1 to 4 oz (30 to 118 mL) of Concentrated Stone & Tile Cleaner per gallon (3.8 L), of water. For polished natural stone surfaces, 1 oz (30 mL) of Concentrated Stone & Tile Cleaner per gallon (3.8 L), of water is usually sufficient. Apply solution to surface with mop or sponge. Allow to dwell 1 to 2 minutes. Agitate with a natural-bristle brush or white nylon scrub pad. Do not allow solution to dry on surface. Mop up dirty solution. Change cleaning solution at least every 250 ft (25 M), or as needed.

Cleaning of equipment

Clean tools with water before material dries.

Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7° C to 29°
 C)
- Store in areas inaccessible to small children
- · Do not reuse empty container, wrap and discard in trash or recycle

Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. Contains sodium (C14-16) olefin sulfonate and other surfactants. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting. Seek medical attention.

6 Availability & Cost

Location	Item Code	Size	Package
USA	010332-4	1 qt (946 ml)	Bottle
USA	010333	1 gallon (3.8 L)	Bottle
Canada	C010332-4	1 qt (946 ml)	Bottle
Canada	C010333	1 gallon (3.8 L)	Bottle



Published Date: 3/23/2023

Aqua Mix® Concentrated Stone & Tile Cleaner

7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at www.custombuildingproducts.com/product-warranty or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

8 Product Maintenance

Properly applied product requires no special maintenance.

9 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit <u>custombuildingproducts.com</u>.

10 Filing System

Additional product information is available from the manufacturer upon request.

VOC Content

No VOCs

Handling & Storage

Protect from freezing. Store in a cool, dry area.



Published Date: 3/23/2023

Aqua Mix® Concentrated Stone & Tile Cleaner

Coverage

Coverage will vary depending on dilution and the porosity of the surface material.

Size	Min Coverage	Max Coverage
1 Gal. (3.78 L)	10,000 ft ² (930 M ²)	20,000 ft ² (1,860 M ²)



Published Date: 3/23/2023