

Aqua Mix® Stone Deep Clean

1 Product Name

Aqua Mix® Stone Deep Clean

2 Manufacturer

Custom Building Products
 Technical Services
 10400 Pioneer Boulevard, Unit 3
 Santa Fe Springs, CA 90670
 Customer Support: 800-272-8786
 Technical Services: 800-282-8786
 Fax: 800- 200-7765
 Email: contactus@cbpmail.net
custombuildingproducts.com

3 Product Description

A concentrated heavy-duty cleaner and degreaser formulated to clean stone surfaces that have been neglected or subjected to heavy use. Aqua Mix® Stone Deep Clean effectively removes dirt, grease and grime, as well as waxes and floor finishes.

Key Features

- For heavily soiled and neglected areas
- Cleans ground-in dirt, grease, soap scum, and other organic materials
- Strips wax and floor finishes

Suitable Tile Types

All natural stone (such as granite, limestone, slate, and travertine), ceramic, porcelain, grout, quarry, Saltillo, terra-cotta, cement pavers and masonry surfaces.

Limitations to the Product

- Do not allow cleaner to come in contact with any non-recommended surface
- Regular use of high alkaline cleaners will reduce sealer life

4 Technical Data

Technical Properties Chart

- Removes common dirt and grease
- Removes acrylic waxes and coatings
- Complies with all federal EPA and SCAQMD standards for VOC

Technical Chart

Property	Test Method	Requirement	Typical Results
	pH	n/a	11-12 (alkaline)

Environmental Consideration

Environmental Consideration

Custom® Building Products is committed to environmental responsibility in both products produced and in manufacturing practices. Use of this product may contribute towards LEED® certification:

- Up to 2 points towards MR Credit 5, Regional Materials
- Complies with all Federal, SCAQMD, and CARB standards for VOC's



5 Instructions

Application of Product

USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.

Read entire label before using. Sweep, vacuum, or dust surface. Mix Stone Deep Clean as follows:

LIGHT SOIL BUILDUP: Mix 1 part cleaner to 4 parts water.

MODERATE SOIL BUILDUP: Mix 1 part cleaner to 3 parts water.

STRIPPING: Mix 1 part cleaner to 1 part water.

HEAVY SOIL BUILDUP: Use full strength.

Apply solution to surface with mop, sponge, or brush. Allow product to dwell 3 to 5 minutes for cleaning, or 5 to 10 minutes when stripping waxes or finishes. Agitate with synthetic mop, scrub brush, or scrub machine. Do not allow solution to dry on surface. Mop up dirty solution. Rinse thoroughly with clean water.

Cleaning of equipment

Clean tools with water before material dries.

Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7° C to 29° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

Health Precautions

CORROSIVE. CAUSES BURNS. HARMFUL IF SWALLOWED. Wear skin and eye protection. Do not breathe vapor or spray. Contains sodium hydroxide. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If respiratory tract is irritated, remove to fresh air. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting. Seek medical attention.



CUSTOM®

Aqua Mix® Stone Deep Clean

6 Availability & Cost

Location	Item Code	Size	Package
USA	030192-4	1 qt (946 ml)	Bottle
USA	030193	1 gallon (3.8 L)	Bottle
Canada	C030192-4	1 qt (946 ml)	Bottle
Canada	C030193	1 gallon (3.8 L)	Bottle

7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at www.custombuildingproducts.com/product-warranty or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

8 Product Maintenance

Properly applied product requires no special maintenance.

9 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit custombuildingproducts.com.

10 Filing System

Additional product information is available from the manufacturer upon request.

VOC Content

Maximum VOCs: Less than 0.01 grams per liter

Handling & Storage

Protect from freezing. Store in a cool, dry area.

Related Products

Aqua Mix® Sealer's Choice® Gold



Aqua Mix® Stone Deep Clean

Coverage

SIZE	Min Coverage	Max Coverage	
1 Gallon (3.78 L)	150 sq. ft. (15 M ²)	600 sq. ft. (55 M ²)	Depending on dilution.

