

SR.OIL - SR.OIL

Revision nr.2 Dated 18/02/2019 Printed on 21/12/2020 Page n. 1/11 Replaced revision:1 (Dated 18/02/2019)

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|---|---|
| Code: Product name | SR.OIL SR.OIL |
| 1.2. Relevant identified uses of the substance or m | xture and uses advised against |
| Intended use | Stain remover to remove oil and grease stains |
| 1.3. Details of the supplier of the safety data sheet | |
| Name Full address District and Country e-mail address of the competent person responsible for the Safety Data Sheet | ITALIAN XS SRL - XSTONE Via Del Mulino 25 - Zona Artigianale 64039 Penna Sant'Andrea (TE) Italia Tel. +39 0861.650578 Fax +39 0861.1755862 office@italianxs.com |
| 1.4. Emergency telephone number | |
| For urgent inquiries refer to | Centro Antiveleni 24/24 h Policlinico A. Gemelli (Roma) Tel. +39 06.3054343 |

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

| Hazard classification and indication: | | |
|---|------|--|
| Carcinogenicity, category 2 | H351 | Suspected of causing cancer. |
| Acute toxicity, category 4 | H332 | Harmful if inhaled. |
| Skin irritation, category 2 | H315 | Causes skin irritation. |
| Specific target organ toxicity - single exposure, | H335 | May cause respiratory irritation. |
| category 3 | | |
| Skin sensitization, category 1 | H317 | May cause an allergic skin reaction. |
| Hazardous to the aquatic environment, chronic | H411 | Toxic to aquatic life with long lasting effects. |
| toxicity, category 2 | | |

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Signal words:

Warning

Hazard statements: H351 H332 H315

Suspected of causing cancer. Harmful if inhaled. Causes skin irritation.



SR.OIL - SR.OIL

Revision nr.2 Dated 18/02/2019 Printed on 21/12/2020 Page n. 2 / 11 Replaced revision:1 (Dated 18/02/2019)

SECTION 2. Hazards identification ... / >>

| H335 | May cause respiratory irritation. |
|--------------------------|---|
| H317 | May cause an allergic skin reaction. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Precautionary statements | S: |
| P280 | Wear protective gloves/ protective clothing / eye protection / face protection. |
| P273 | Avoid release to the environment. |
| P391 | Collect spillage. |
| P261 | Avoid breathing dust / fume / gas / mist / vapours / spray. |
| P201 | Obtain special instructions before use. |
| P308+P313 | IF exposed or concerned: Get medical advice / attention. |
| | |
| | |

Contains: TETRACLOROETILENE TALC

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

| Identification | x = Conc. % | Classification 1272/2008 (CLP) |
|----------------|--------------------------|---|
| TETRACLO | ROETILENE | |
| CAS | 127-18-4 45 ≤ x < 47,5 | Carc. 2 H351, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411 |
| EC | 204-825-9 | |
| INDEX | 602-028-00-4 | |
| Reg. no. | 01-2119475329-28 | |
| TALC | | |
| CAS | 14807-96-6 40 ≤ x < 42,5 | Acute Tox. 4 H332, STOT SE 3 H335 |
| EC | 238-877-9 | |
| INDEX | | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

ΕN



SR.OIL - SR.OIL

SECTION 5. Firefighting measures ... / >>

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

| DEU ESP | Deutschland España | TRGS 900 (Fassung 31.1.2018 ber.) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte INSHT - Límites de exposición profesional para agentes químicos en España 2017 |
|------------|-----------------------|--|
| | | |
| FRA | France | JORF n°0109 du 10 mai 2012 page 8773 texte n° 102 |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits |
| EU | OEL EU | Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; |
| | | Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC. |
| | TLV-ACGIH | ACGIH 2019 |



SR.OIL - SR.OIL

ΕN

SECTION 8. Exposure controls/personal protection ... / >>

| | | | | TETRACL | OROETILENE | | | | |
|---|----------------|---------------|-------|---------|------------|------------------|----------|---------|----------|
| Threshold Limit Va | alue | | | | | | | | |
| Туре | Country | TWA/8h | | STEL/15 | min | | | | |
| | | mg/m3 | ppm | mg/m3 | ppm | | | | |
| AGW | DEU | 69 | 10 | 138 | 20 | | | | |
| VLA | ESP | 172 | 25 | 689 | 100 | | | | |
| VLEP | FRA | 138 | 20 | 275 | 40 | | | | |
| WEL | GBR | 345 | 50 | 689 | 100 | | | | |
| OEL | EU | 138 | 20 | 275 | 40 | SKIN | | | |
| TLV-ACGIH | | 170 | 25 | 678 | 100 | | | | |
| Predicted no-effect | t concentra | tion - PNEC | ; | | | | | | |
| Normal value in | fresh water | | | | | | 0,05 | mg/l | |
| Normal value in | marine wate | er | | | | | 0,005 | mg/l | |
| Normal value for | r fresh water | sediment | | | | | 0,9 | mg/kg | |
| Normal value for | r marine wat | er sediment | | | | | 0,09 | mg/kg | |
| Normal value for | r water, inter | mittent relea | ise | | | | 0,03 | mg/l | |
| Normal value of | STP microo | rganisms | | | | | 11,2 | mg/l | |
| Normal value for the terrestrial compartment 0,01 mg/kg | | | | | mg/kg | | | | |
| Health - Derived ne | o-effect leve | el - DNEL / D | DMEL | | | | | | |
| | Effe | cts on consu | mers | | | Effects on worke | rs | | |
| Route of exposu | ire Acut | te Acu | te | Chronic | Chronic | Acute local | Acute | Chronic | Chronic |
| | loca | l sys | temic | local | systemic | | systemic | local | systemic |
| Oral | | | | | 1,3 | | | | |
| | | | | | mg/kg bw/d | | | | (00 |
| Inhalation | | 138 | | | 34,5 | | 275 | | 138 |
| 011 | | mg/ | m3 | | mg/m3 | | mg/m3 | | mg/m3 |
| Skin | | | | | 23 | | | | 39,4 |
| | | | | | mg/kg bw/d | | | | mg/kg |
| | | | | | | | | | bw/d |
| | | | | | | | | | |

| | | | | 1 | ALC | | |
|-------------------|---------|--------|-----|----------|-----|--|--|
| Threshold Limit \ | /alue | | | | | | |
| Туре | Country | TWA/8h | | STEL/15r | nin | | |
| | | mg/m3 | ppm | mg/m3 | ppm | | |
| VLA | ESP | 2 | | | | | |
| WEL | GBR | 1 | | | | | |
| TLV-ACGIH | | 2 | | | | | |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS



SR.OIL - SR.OIL

Revision nr.2 Dated 18/02/2019 Printed on 21/12/2020 Page n. 5 / 11 Replaced revision:1 (Dated 18/02/2019)

SECTION 8. Exposure controls/personal protection .../>>

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties |
|--|
| Appearance |
| Colour |
| Odour |
| Odour threshold |
| рН |
| Melting point / freezing point |
| Initial boiling point |
| Boiling range |
| Flash point |
| Evaporation rate |
| Flammability (solid, gas) |
| Lower inflammability limit |
| Upper inflammability limit |
| Lower explosive limit |
| Upper explosive limit |
| Vapour pressure |
| Vapour density |
| Relative density |
| Solubility |
| Partition coefficient: n-octanol/water |
| Auto-ignition temperature |
| Decomposition temperature |
| Viscosity |
| Explosive properties |
| Oxidising properties |

Value liquid colourless characteristic Not available Not available Not available Not available Not available 60 °C Not available 1,73 Not available Not available Not available Not available Not available Not available Not available

>

Information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

TETRACLOROETILENE

Decomposes at temperatures above 150°C/302°F.Decomposes if exposed to: UV rays,moisture.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

TETRACLOROETILENE

Risk of explosion on contact with: alkaline metals, aluminium, alkaline hydroxides, sodium amides. May react violently with: strong bases, strong oxidising agents, alkaline earth metals, light metals, metal powders, zinc oxide.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

ΕN



SR.OIL - SR.OIL

ΕN

SECTION 10. Stability and reactivity ... / >>

Information not available

10.6. Hazardous decomposition products

TETRACLOROETILENE

May develop: hydrogen chloride, phosgenes, chlorine, ethane tetrachloride, chlorine compounds.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

TETRACLOROETILENE LAVORATORI: inalazione; contatto con la cute. POPOLAZIONE: ingestione di cibo o di acqua contaminati; inalazione aria ambiente.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

TETRACLOROETILENE

Possiede un'azione tossica sul sistema nervoso centrale e periferico, fegato, reni e cuore; le mucose e la cute sono interessate dall'azione irritante.

3,5 mg/l

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture:

> TETRACLOROETILENE LD50 (Oral) LD50 (Dermal) LC50 (Inhalation)

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Suspected of causing cancer

TETRACLOROETILENE Classificata nel gruppo 2A (probabile cancerogeno per l'uomo) dalla International Agency for Research on Cancer (IARC).

Not classified (no significant component) Not classified (no significant component)

3500 mg/kg ratto (femmina) > 10000 mg/kg bw coniglio > 3786 ppm/4h ratto



SR.OIL - SR.OIL

Revision nr.2 Dated 18/02/2019 Printed on 21/12/2020 Page n. 7 / 11 Replaced revision:1 (Dated 18/02/2019)

SECTION 11. Toxicological information ... / >>

Gli studi epidemiologici mostrano evidenza di associazione tra esposizione alla sostanza e presenza di vari tipi di tumori: cancro della vescica, linfomi non Hodgkin e mielomi multipli (US EPA, 2014).Classificata come "probabile cancerogeno" dalla US National Toxicology Program (NTP).

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity

| TETRACLOROETILENE LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Crustacea | 5 mg/l/96h oncorhynchus mykiss 8,5 mg/l/48h Daphnia magna 3,64 mg/l/72h chlamydomonas reinhardtii 1,99 mg/l jordanella floridae 510 mg/l daphnia magna |
|--|--|
| 12.2. Persistence and degradability | |
| TALC Solubility in water | < 0,1 mg/l |
| TETRACLOROETILENE Solubility in water Degradability: information not available | 150 mg/l |
| 12.3. Bioaccumulative potential | |
| TETRACLOROETILENE Partition coefficient: n-octanol/water BCF | 2,53 49 |
| 12.4. Mobility in soil | |
| TETRACLOROETILENE Partition coefficient: soil/water | 2,15 |
| 12.5. Results of PBT and vPvB assessment | |
| On the basis of available data, the product does not | contain any PBT or vPvB in percentage greater than 0,1%. |
| 12.6. Other adverse effects | |

12.6. Other adverse effects

Information not available



SR.OIL - SR.OIL

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, IATA: 3082

ADR / RID: In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to ADR provisions.

IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IMDG Code provisions.

IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity \leq 5Kg or 5L, is not submitted to IATA dangerous goods regulations.

14.2. UN proper shipping name

| ADR / RID: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TETRACLOROETILENE) |
|------------|---|
| IMDG: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TETRACLOROETILENE) |
| IATA: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TETRACLOROETILENE) |

14.3. Transport hazard class(es)

| ADR / RID: | Class: 9 | Label: 9 |
|------------|----------|----------|
| IMDG: | Class: 9 | Label: 9 |
| IATA: | Class: 9 | Label: 9 |

14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

| ADR / RID: | Environmentally Hazardous |
|------------|---------------------------|
| IMDG: | Marine Pollutant |
| | |

IATA: Environmentally Hazardous







SR.OIL - SR.OIL

Revision nr.2 Dated 18/02/2019 Printed on 21/12/2020 Page n. 9 / 11 Replaced revision:1 (Dated 18/02/2019)

SECTION 14. Transport information ... / >>

14.6. Special precautions for user

| ADR / RID: | HIN - Kemler: 90 Special Provision: - | Limited Quantities: 5 L | Tunnel restriction code: (-) |
|----------------|--|--|--|
| IMDG: IATA: | EMS: F-A, S-F Cargo: Pass.: Special Instructions: | Limited Quantities: 5 L Maximum quantity: 450 L Maximum quantity: 450 L A97, A158, A197 | Packaging instructions: 964 Packaging instructions: 964 |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006
Product
Point 3

E2

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| Carcinogenicity, category 2 | |
|--|--|
| Acute toxicity, category 4 | |
| Skin irritation, category 2 | |
| Specific target organ toxicity - single exposure, category 3 | |
| Skin sensitization, category 1 | |
| Hazardous to the aquatic environment, chronic toxicity, category 2 | |
| Suspected of causing cancer. | |
| Harmful if inhaled. | |
| Causes skin irritation. | |
| May cause respiratory irritation. | |
| May cause an allergic skin reaction. | |
| Toxic to aquatic life with long lasting effects. | |
| | |

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)



SR.OIL - SR.OIL

SECTION 16. Other information ... / >>

- CE NUMBER: Identifier in ESIS (European archive of existing substances)- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.



SR.OIL - SR.OIL

Revision nr.2 Dated 18/02/2019 Printed on 21/12/2020 Page n. 11 / 11 Replaced revision:1 (Dated 18/02/2019)

SECTION 16. Other information ... / >>

The following sections were modified: 03 / 09 / 11.